



European Champion 2018 European Vice-Champion 2017

#### About us

Optimast is a brand that has been in the sailing industry for over 8 years. We are introducing and developing new technologies in the Optimist dinghy for you to achieve better and better results.

We listen to your feedback to make our products even better. We are proud to announce that our products are delivered to 48 countries worldwide and are used by best sailors in European and World Championships every year.

Optimast frequently introduces new technological improvements. After a very durable porcelain anodizing process, we introduced the new PRO L.E. boom made of G.R.T. aluminum, which created new possibilities for kit adjustment. Its lightness and stiffness allows for a more accurate adjustment of the sail depending on the conditions on the water, thanks to which it has become the most versatile boom on the market and can be used in a variety of Optimast kit configurations to suit your personal taste.

2021 is the time for the Super Flex Gold, which is used by top riders due to its compatibility with many sails from different manufacturers.

The Optimast team is not standing still and is already working with sailors from around the world

The Optimast team is not standing still and is already working with sailors around the world to make

new and even better improvements to make sailing as efficient and fun as possible.


Our products are fully compatible with IODA conditions.

All products have 24 month warranty and free service during big regatta events









#### About

This **NEW** spar set is the stiffest one produced by Optimast. It's dedicated to heavier sailors, who have very good skills in navigating the boat in strong winds. The material used to make the Black Optimast set is modified by us aluminium G.R.T. Alloy.

#### Hard anode

#### Black set contains:

Ultimate racing mast # 2,2 mm / G.R.T. Alloy - WZ-4100 Ultimate racing boom ø 45 mm # 1,2 mm / G.R.T. Alloy - WZ-8000 Ultimate racing sprit ø 28 mm # 1,2 mm / AW 7095 - WZ-4300

#### LESS STIFFER OPTION:

Ultimate racing sprit ø 28 mm # 1,2 mm RED / AW 7075 - WZ 3300 Ultimate racing sprit ø 26 mm # 1,2 mm M.G. Option / AW 7020 - WZ-6000


\*Accesory starter package included - A-250

**BLACK mast weight: 1920g** 









#### About

This spar set was derived from experiments and tests. It is more resilient than the material used in Black Optimast, with wall thickness of 2.0 mm, which gave this set more dynamic character, forgiving passive conducting of the boat and enabling sail opening in case of strong wind gusts. Extra boom choice gives you an option to personalise the set for your needs.

#### Hard anode

#### Red set contains:

Ultimate racing mast # 2,0 mm / AW 7075 - WZ 3100 Ultimate racing boom ø 45 mm # 1,2 mm / G.R.T. Alloy - WZ-8000 Ultimate racing sprit ø 28 mm # 1,2 mm / AW 7075 - WZ 3300

#### LESS STIFFER OPTION:


Ultimate racing sprit ø 26 mm # 1,2 mm M.G. Option / AW 7020 - WZ-6000 Ultimate racing sprit ø 26 mm # 1,2 mm / AW 7075 SUPER FLEX GOLD - WZ-7000

\*Accesory starter package included - A-250

**RED mast weight: 1790g** 







#### **About**

Red Flex is an important link between all of our sailing sets. We noticed that most of the coaches select sets of sprits with a larger arrow of deflection and lower weight. On the basis of experience, a set of Red Flex fills the gap between Blue and Red spar set. Red Flex spar set is especially good when sailing on the open waters with more waves. This set is very dynamic. There is no equivalent spar produced in the world.

#### Hard anode

#### **Red Flex set contains:**

Ultimate racing mast # 1,8 mm / AW 7025 - WZ 5100

Ultimate racing boom ø 40 mm # 1,5 mm / AW 7075 - WZ 5200

Ultimate racing sprit ø 26 mm # 1,2 mm / AW 7095 - WZ 5300

OPTIONAL:

Ultimate racing boom ø 45 mm # 1,2 mm / G.R.T. Alloy / PRO L. E. - WZ-8000


Ultimate racing sprit ø 26 mm # 1,2 mm M.G. Option / AW 7020 - WZ-6000


Ultimate racing sprit ø 26 mm # 1,2 mm / AW 7075 SUPER FLEX GOLD - WZ-7000

\*Accesory starter package included - A-250

**RED FLEX mast weight: 1620g** 







#### About

It is a still unknown design of the AW 7020 thin-walled tube. Its high elasticity perfectly conveys the dynamics of the sail onto the hull, under the conditions of light wind. However when the wind picks up, light weight sailors can keep the boat flat much easier. This spar set is especially good when the waves are irregular.

#### Hard anode

#### Blue set contains:

Ultimate racing mast # 1,6 mm / AW 7020 - WZ-2100

Ultimate racing boom ø 40 mm # 1,5 mm / AW 7075 - WZ-2200

Ultimate racing sprit ø 26 mm # 1,2 mm / AW 7075 SUPER FLEX GOLD - WZ-7000

#### OPTIONAL:

Ultimate racing boom ø 45 mm # 1,2 mm / G.R.T. Alloy / PRO L. E. - WZ-8000


\*Accesory starter package included - A-250


**BLUE mast weight: 1410g** 

Catalogue No.
WZ - 2000

Option

boom





#### **About**

We decreased its inner thickness, making the Green mast even more light and flexible, thanks to the new stiffer and more durable material AW 7020. It keeps its previous role, beeing a great choice for novice and very light sailors, however its new parameters make the Green mast even better in competetive sailing. This mast is the lightest mast on the market at the moment.

#### Hard anode

#### **Green set contains:**

Ultimate racing mast # 1,5 mm / AW 7020 - WZ 1100 
Ultimate racing boom ø 40 mm # 1,1 mm / AW 7005 ( SUPER LIGHT) - WZ 1200 
Ultimate racing sprit ø 28 mm # 1,4 mm / AW 6082 - WZ 1300

\*Accesory starter package included - A-250

**GREEN mast weight: 1380 grams** 

Catalogue No. **WZ - 1000** 

# Mast and boom is fully equipped with rones

### Starter package



WZ - 022 A

Halyard with Friction Ring 5x7



WZ - 032

Optimast claw block

A-250

included for every spar set



WZ - 014

Mast slip band



A - 160

Halyard line PSE / Kv 1350 mm



A - 171

Optimast handle



**WZ - 018** 

Wind Indicator top pins



WZ - 017 B

Optimast Epoxy wind indicator



A - 100

Regatta lacing lines

\*Rest of the ropes attached directly to the spars







Catalogue No.
WZ - 7000







WZ - 8000

G.R.T. ALLOY #1.2 mm











#### WZ - 009 A

ClamCleat CL-211 MK.2/S2 Black



#### WZ - 009 B

ClamCleat CL-211 MK.2/S2 Black



WZ - 010

Mast pin



#### WZ - 011 A/B

High mast heel plug A: #2.2 mm B: #2.0 mm



#### WZ - 012 A/B/C

Low mast heel plug A: #1.8 mm B: #1.6 mm C: #1.5 mm



#### WZ - 013 A

Mast sticker



#### WZ - 014

Mast slip band Teflon HD



#### WZ - 017 A

Wind indicator Epoxy Black



#### WZ - 017 B/C/D

Wind indicator

B: Set

C: Strut only

D: Indicator only



#### WZ - 018

Wind indicator top pins Set



#### A - 100

Regatta lacing lines



#### WZ - 003

Mast lock spring

A - 250 A



Set includes:

WZ - 022 B WZ - 032 A - 160

Halyard line with Friction Ring 4x8 Optimast Claw Block Halyard line PSE / Kv 1350 mm

A - 171 Optimast Handle

A - 250 B



Set includes:

WZ - 022 A WZ - 032

Halyard line with Friction Ring 5x7

Optimast Claw Block Halyard line PSE / Kv 1350 mm

A - 171 Optimast Handle

A - 250 C



Set includes:

WZ - 022 Halyard line with Friction Ring 7x10

WZ - 032 Optimast Claw Block

Halyard line PSE / Kv 1350 mm A - 160

A - 171 Optimast Handle

WZ - 007



Polyurethane glue for plastic fittings

WZ - 008

polyolefin shrink wrap Ø30 mm 140 mm long

Sprit Equipment

WZ - 021 A/B



Sprit ends A: Ø26 mm B: Ø28 mm

Mast Equipment

Boom Equipment



**WZ - 001** 

Span with safety snap shackle Mini Speedy 220 mm



WZ - 002

Ronstan snap shackle Mini Speedy 32 mm

WZ - 004 A

Boom measure sticker



WZ - 004 B

Clew position indicating sticker

**WZ - 005** 



Outhall Dyneema line Tappered

Ø3 mm < Ø5 mm



WZ - 006

Boom groomet with nites

WZ - 015 A/B

Boom outboard end

A: Ø40 mm B: Ø45 mm



WZ - 016 A/B

Boom inboard end A: Ø40 mm

B: Ø45 mm



WZ - 019

Stainless steel rings for boom Ø15 mm #2,5 mm



WZ - 020

Boom bridle 1650 mm DynaOne Ø3 mm 2x Stainless Steel

Rings



A - 122

Armare halyard vang rope spliced Ø5 mm

A - 168



A - 140

DynaOne Boom Vang for splicing



Holt Boom Cleat



WZ - 023

Sprit halyard rope with Ronstan block 25109

Ø20 mm DynaOne 670 mm



WZ - 024

Sprit halyard rope Nautos 2020 T Ø 20 mm DynaOne 670 mm Spar Iinings Blocks



WZ - 026

Ronstan 25109 Ø 20 mm



WZ - 027 A

Nautos HT2020 T without hanger Ø 20 mm



WZ - 025

Sprit halyard rope Nautos block N 2020 Dynamic Ø 20 mm DynaOne 670 mm



WZ - 022

Halyard line with spliced lowfriction ring 4x8 600 mm long



WZ - 022 A

Halyard line with spliced lowfriction ring 5x7 600 mm long



WZ - 022 B

Halyard line with spliced lowfriction ring 7x10 600 mm long



WZ - 022 C

Clawblock with Halyard line and lowfriction ring 4x8 600 mm long



WZ - 022 D

Clawblock with Halyard line and lowfriction ring 5x7

600 mm long



WZ - 022 E

Clawblock with Halyard line and lowfriction ring 7x10



WN - 026 A

S halyard rope block with line Ø20 mm





WZ - 027 B

Nautos HT2020 T with hanger Ø 20 mm



WZ - 028

Nautos 2020 Dynamic Ø 20 mm



WZ - 030

Ronstan 55 Ratched Block RT Orbit super light



WZ - 031

Nautos 57 Ratched Block



WZ - 032

Optimast CLAW BLOCK



WZ - 033

Ronstan 45111 Ø 40 mm



WZ - 034

Ronstan 45111 Ø 40 mm Set with Ronstan 2454 holder



WZ - 036

Nautos Block HT2040 T Ø 40 mm



WZ - 036 B

Nautos Block HT2040 T Ø 40 mm with hanger



WZ - 037

Nautos Block HT2040 T Ø 40 mm Set with Ronstan 2454 holder



WZ - 039

Nautos Block HT2030T Ø30 mm



WN - 040

**S** Halyard rope block


Ø20 mm



## OPTIMAST wind indicator

**UPGRADED** 

Two of our designs to guide you the right way









#### A - 191 Maffioli Regatta Vectran mainsheet with loop

8 mm / 7,2 m




A - 192 Titanium Optiswift regatta

Mainsheet

7,5 mm / 7 m

Mainsheets



Maffioli Optiswift regatta Mainsheet 7 mm / 7 m with ball



A - 194

Elana regatta Mainsheet 8 mm / 8 m ELA/Pps



system



WZ - 040

Optimast 28 mm spring

L - 45 mm




WZ - 043 A


Small Ronstan holder 2454



WZ - 043 B

Large Ronstan holder 2454









OPTIMAST SET  $\bigcirc$ П S Щ

## ION RINGS ETERS LOW FRICTION DIAME







## OPTIMAST IMPROVED TROLLEY


OP-5 INNOVATION



### LIGHT, DURABLE, UNRIVALLED.


Our best designed trolley combines premium durability, light materials, innovative design and assembly easiness.

Ready to go in 3 simple steps. Extreme light construction that weights only 4 kilograms with slip rollers for easier launching and pulling dinghy out of the water. Double fine designed locking system allows you to store dingy in two positions - normal position for transport and upside down position to clean and dry your equipment.



LIMITED EDITION

BLACK COLOUR





W - 310

Trolley Spring locking system



W - 320

Trolley rollers sillicone-polyamide OP-5





W - 330

Wheel locking spring for OP-5 Trolley



WN - 321 A/B

Trolley draw bar

A: 1120 mm B: 1200 mm



W - 350

Wheel Optimast Flex E Ø 370 mm Ø 25 mm axle



W - 340

Trolley handle for OP 5 Trolley Trolley handle Complete Set



W - 381

Bow lock bottom part 8 mm thick



W - 380

Bow lock for OP 5 Trolley 8 mm thick Set



NEW PRODUCT!

W - 396

Rotational side support for the trolley 2 pcs. set



W - 390

Rubber handle with aluminium core for OP 5 Trolley





Tiller with

Extension colours: WN - 541



W - 510 A/B

**Rotational Tiller** with extension set releasable joint Extension colours: WN - 542

Paddle Equipment

Paddles



#### **DSK-1**

DSK atLas steering paddle without fittings



**DSK - 2** 

DSK atLas steering paddle with fittings



WN - 525 A/B

Tiller

A: 600 mm B: 570 mm



W - 526

Long tiller extension standard grip joint with rope

665 mm long



#### WN - 541 A/B/C/D

Tiller extension coated with bionano polyolefin joint with rope

615mm



#### WN - 542 A/B/C/D

Rotational tiller extension coated with bionano polyolefin joint with rope 640mm



W - 570

Tiller extension releasable joint



W - 580

Set



Steering paddle fittings





#### **DSK - 3**

DSK daggerboard FleXiS 37kg



#### **DSK - 4**

DSK daggerboard ExeLiXiS 32 - 45kg



#### **DSK - 5**

DSK daggerboard DyNaMis 45+kg



#### WN - 901 A/B/C/D

Daggerboard bungee with blue durable silicone handle FIXING INCLUDED 2 x 1050 mm

DOES NOT DAMAGE THE DAGGERBOARD



#### W - 910

Adhesive tephlon glide tape 20 mm x 0,30 mm x 10 m



#### WN - 902 A/B/C/D

Daggerboard bungee with blue durable silicone handle FIXING INCLUDED

2 x 1050 mm


DOES NOT DAMAGE THE DAGGERBOARD



#### A/B/C/D


COLOR OPTIONS FOR EXPANDOR **HANDLES** 






## TRAINING BUOY INNOVATIVE SYSTEM

triple displacement





A - 170E





A - 170C

Ø3 mm

A - 165

Optimast

bailer

NA - 123A

Bailer elastic

line with clip

mini clip hook 3 mm

NA - 166

Mini clip hook

A - 170D

Ø5mm



A - 100

Regatta lacing lines



A - 122

Boom halyard line Armare Ø5,5 mm





A - 150

Floating bow line Stainless steel ring Pp/Ø5 mm 8,5 m long



A - 151

Floating bow line YSM - AREO Stainless steel ring Pp/Ø5 mm 8,35 m long



A - 160

Halyard line PSE / Kv 1350 mm



A - 161

Super strong Halyard line Armare 1350 mm



WZ - 005

Outhall Dyneema line Tappered Ø 3 mm < Ø 5 mm



A - 113

International flag code sticker



## HIKING STRAPS MADE BY RIPPER

#### **UPGRADED**









Sticky grip surface

New hiking straps
from RIPPER SAILING

A - 190 A/B/C/D



A - 210

Maffioli regatta Vectran Mainsheet Ø8 mm/1 m



A - 214

DynaOne Rope Gleistein Ø3 mm/1 m





A - 215

DynaOne Rope Gleistein Ø2mm/1m



A - 216

Compact Nero Rope Ø3mm/1m



A - 217

Yellow Fluo Rope PES / DYNEEMA Ø 1,1 mm / 1 m



A - 218

Yellow Fluo Rope PES / DYNEEMA

Ø 1,9 mm / 1 m



A - 219

Yellow Fluo Expandor Elastic Line PESGF Ø5 mm/1 m



A - 220

Red Expandor Elastic Line PESGK

Ø4mm/1m



A - 221

Red Expandor Elastic Line PESGK Ø3 mm/1 m PLE ELE





## MAINSHEET BLOCKS & RINGS

WITH SNAP SHACKLE AND DYNEEMA ROPES







Catalogue No.
WZ - 038 A/B



Catalogue No.
WZ - 042 A/B



Single 10x14 friction ring

Catalogue No. WZ - 035 C



Nautos 40 mm Block + 10x14 friction ring

Catalogue No.
WZ - 038 C



Double 10x14 friction rings

Catalogue No.
WZ - 042 C





Hoodie Sizes

Optimast Crew Hoodie

Catalogue No.

WZ - 10000



#### **MAST STAND** MADE WITH ALUMINIUM




#### **TRANSPORTATION** STRAP



#### **OPTIMIST** SHELF

#### TO STORE YOUR OPTIMIST DINGHY

#### **INOX ANODISED**




Safe way to store up to 4 Optimists with spar sets.




C - 40



Easy to move with 4 wheels. Two wheel stops included.






easy to unscrew for transport

Weight of 12.5 kg makes it easy for lifting and moving.





#### MAGIC MARINE OPTICOVERS







Rudder Cover
Catalogue No.
A - 203

Spar Set Cover

Catalogue No.

A - 205

#### MAGIC MARINE AIRBAG





Catalogue No.
A - 204



### JOIN OPTIMAST CREW

Each client is **unique**. It requires equally special treatment. **Contact us** to receive an individual offer according to your needs and preferences. We are confident that our flexibility will result long-term cooperation.


Try, see, stay with us for longer.

Quality	Experience	Feedback
The highest quality	Decades of sailing	We listen to our
products ensures its	experience of our team	customers and their
origin. Our equipment	knows what it takes to	comments, trying to
is manufactured in	be the fastest	reach each individual
100% in Poland		depending on your
		preference

Contact us:

optimast@optimast.pl

www.optimast.pl



JOIN THE OPTIMAST CREW AT: FB.COM/OPTIMAST